



Attorney Docket No.: 3008-1039

PATENT

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: Howard TILFORD
Appl. No.: 10/718,657
Filed: November 24, 2003
For: LIBRARY CHECKING SYSTEMS

L E T T E R

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Date: February 26, 2004

Sir:

Under the provisions of 35 U.S.C. § 119 and 37 C.F.R. § 1.55(a), the applicant(s) hereby claim(s) the right of priority based on the following application(s):

<u>Country</u>	<u>Application No.</u>	<u>Filed</u>
UNITED KINGDOM	0227616.0	November 27, 2002

A certified copy of the above-noted application(s) is(are) attached hereto.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 25-0120 for any additional fee required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees.

Respectfully submitted,

YOUNG & THOMPSON

By *Benoît Castel*
Benoît Castel, #35,041
745 South 23rd Street, Suite 200
Arlington, Virginia 22202
(703) 521-2297

BC/psf

Attachment



[Faint, illegible handwritten text]



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.



In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

28 November 2003



27NOV02 E766606-3 001063
P01/7700 0.00-0227616.0

The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form.)

1. Your reference	RPH.P52289GB		
2. Patent application number <i>(The Patent Office will fill in this part)</i>	0227616.0		27 NOV 2002
3. Full name, address and postcode of the or of each applicant <i>(underline all surnames)</i>	DS Limited Hall View Drive Bilborough Nottingham NG8 4GD 8514952001 United Kingdom		
Patents ADP number <i>(if you know it)</i>			
If the applicant is a corporate body, give the country/state of its incorporation	United Kingdom		
4. Title of the invention	"Library Checking Systems"		
5. Name of your agent <i>(if you have one)</i>	Marks & Clerk		
"Address for service" in the United Kingdom to which all correspondence should be sent <i>(including the postcode)</i>	4220 Nash Court Oxford Business Park South Oxford OX4 2RU United Kingdom 7271125001		
Patents ADP number <i>(if you know it)</i>			
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and <i>(if you know it)</i> the or each application number	Country	Priority application number <i>(if you know it)</i>	Date of filing <i>(day / month / year)</i>
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing <i>(day / month / year)</i>
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? <i>(Answer 'Yes' if:</i>	Yes		
a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))			

Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description

6

Claim(s)

3

Abstract

1

Drawing(s)

2 + 2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Marks & Clerk

Date

26 November 2002

Marks & Clerk

12. Name and daytime telephone number of person to contact in the United Kingdom

John S. Robinson
(01865) 397900

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.



DUPLICATE

M&C Folio No P52289GB

1

"Library Checking Systems"

This invention relates to library checking systems, such as may be used for checking out books and audio/video items to be borrowed from a library, and/or for
5 checking in such items to the library after borrowing.

Conventional library checking systems use a combination of a barcode system to track the location of a book or other borrowable item and a magnetic strip as a security device to prevent unauthorised removal of the book from the library. The main
10 disadvantage of such a system is that the barcodes require each book to be individually opened and the barcode scanned when a book is to be borrowed, and each borrowed book to be individually scanned again when it is returned. Additionally deactivation of the magnetic strip when the item is borrowed and reactivation of the magnetic strip when it is returned are necessary.

15

As this is a labour intensive process, many libraries make use of bookdrop bins in which users may deposit returned books, the bins being periodically emptied and the books scanned. However this means that the return of books to the library is not registered in the library system until after the bookdrop bin has been emptied and the
20 books scanned. To get over this problem library systems have been developed in which radio frequency identification devices are mounted on the borrowable items in the library, so that it is possible to detect when the items are returned to the library as soon as they have entered a designated area. The radio frequency identification device may also be used as a security feature to prevent unauthorised removal of the items from the
25 library.

WO 99/64974 discloses a library checking system in which a receptacle is provided within a borrowed item returning location into which borrowed items may be inserted. The receptacle incorporates an antenna which detects insertion of a library
30 item having a radio frequency identification device into the receptacle and which sends an identification code corresponding to the returned item to a processing unit which in turn updates the information on a database of returned items.

Whilst such a system enables return of a borrowable item to be detected as soon as it is returned to a designated area, it does not permit an item to be issued to a user in the absence of a member of the library staff to perform the necessary procedures to determine that the item is available for borrowing (for example if the item has not been reserved by another user or a required payment has been made).

It is an object of the invention to provide a library checking system which enables a borrowable item to be issued to a user without the intervention of library staff.

According to the present invention there is provided a library checking system for use with a plurality of borrowable items provided with identifying means, the system comprising a housing within which a borrowable item is contained during checking, an identification unit for detecting the identifying means of the item while within the housing and for supplying a signal identifying the item to central processing means, an input to the housing through which the item is insertable for checking, an output from the housing through which the item is discharged to a pick-up area in the event of the item being passed by the central processing means as available for borrowing, and a movable floor within the housing on which the item is supported during detection by the identification unit, the movable floor being movable to cause the item to drop into a secure receptacle in the event of the item not being passed by the central processing means as available for borrowing.

Such a system enables a book or other borrowable item to be automatically issued to a user when the item is passed by the central processing unit as being available for borrowing. In this case the user may collect the book from the pick-up area and can take the book out of the library without any manual checking system being required. In the event that the book is found not to be available for borrowing, for example because the book has been reserved by another user or a payment is outstanding, the book is automatically passed to a secure receptacle, thus preventing the user from borrowing the book and enabling the book to be manually returned to the required library location in due course. This not only provides a considerable saving in library staff time but also speeds up the issuing of books within the library.

Where appropriate, the system may also be used for checking in books and other borrowable items which have previously been borrowed in a speedy and efficient manner.

5

The system may also be used in association with a verification unit adapted to accept a card, fingerprint or iris scan for verifying the identity of a user and for passing a verification signal to the central processing means, as well as in association with a payment unit for accepting payment from the user in the event that payment is required.

10 If necessary a printer unit may be provided for issuing a receipt to the user, and in addition an instruction display, for example a TFT touchscreen, may be provided for displaying instructions to the user on use of the system.

The system may also be used in association with a security gate which prevents
15 unauthorised removal of the item from the library and which is openable to provide user access to the pick-up area for collection of the item without setting off a security gate alarm in response to an authorisation signal from the central processing means.

In order that the invention may be more fully understood, a preferred
20 embodiment of library checking system in accordance with the invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a perspective view of the self-issue library terminal of the preferred
embodiment; and

25

Figure 2 is a vertical section through such terminal.

The self-issue library terminal to be described is intended to be located adjacent to an entry and/or exit of the library and incorporates a bookdrop so that a book or other
30 item to be borrowed may be automatically issued to a user without staff intervention, and so that the borrowed item may be automatically returned to the bookdrop.

Referring to Figure 1, the terminal 1 incorporates a book slot 2 into which a book or other item to be borrowed may be inserted, a card slot 3 for receiving the borrower's card, a TFT touchscreen 4 for displaying information to the user, a cash mechanism 5 permitting payment to be made by means of cash, a smart card or a credit/debit card for book fines or for borrowing non-book material, such as a video tape, and a printer slot 6 for issuing a receipt to the user in respect of any payment made. The terminal 1 incorporates an inclined upper surface 7 defining a book pick-up area and has an openable door 8 by way of which a bookdrop bin may be removed from the terminal for emptying.

10

The operation of the system will now be described with reference to the vertical section through the terminal of Figure 2 showing the front and back walls 10, 11 of the terminal, and the bookdrop bin 12 within the terminal provided with wheels 13 enabling the bin 12 to be easily removed from the terminal through the open door 8. The inclined upper surface 7 extends above the bookdrop bin 12 and incorporates a pivotable bookdrop flap 14 within a housing 15 into which the book is inserted when it is passed through the slot 2.

In use of the terminal 1 to borrow a book, the borrower inserts his card into the slot 3, and library management software within a central processor verifies the borrower's identity from information read from the card. A message then appears on the touchscreen 4 instructing the user to insert the first book to be borrowed through the book slot 2. In response to this instruction the borrower pushes the book into the slot 2 such that the sprung flap 16 is pivoted inwardly and the book is supported on the flap 14 (which is in its upward position) within the housing 15, the sprung flap 16 returning to its position closing off the slot 2 after the book has been fully inserted. A radio frequency identification (RFID) antenna 17 within the housing 15 detects the RFID tag on the book and passes information concerning the identity of the book to the central processor, and the central processor causes messages to be displayed to the user on the touchscreen 4. If payment is required, the borrower is instructed to insert cash or a card into the payment mechanism 5. If the requested payment is not made, or if the borrower is not authorised to borrow the book for some other reasons (e.g. because the book has

been reserved), a solenoid actuator (not shown) is operated to move the flap 14 downwardly so that the book falls into the bookdrop bin 12, the flap 14 being automatically returned to its upward position after this operation. If payment is made or the transaction is otherwise authorised by the system, an issue flap 18 is automatically opened by a solenoid actuator (not shown) to allow the book to slide down the inclined surface 7 to a book pick-up area 19 from which the book may be collected by the borrower.

If further books or other items are to be borrowed by the same borrower this sequence of operations is repeated until all items have been passed through the housing 15, and the borrower is then instructed to remove his card from the slot 3. Where a security gate is associated with the system, the security gate is then unlocked to enable the borrower to pass through the gate without setting off a security gate alarm and collect the items from the pick-up point 19. As an additional security device a web camera may be associated with the system which is started as soon as the borrower's card is inserted and photographs only when movement is detected. Such security devices are particularly advantageous in libraries with few or no staff.

Various modifications of the above described system are possible within the scope of the invention. For example, instead of only one bookdrop flap 14 being incorporated in the inclined surface 7, more than one such bookdrop flap 14 may be provided for guiding items into two or more different bins according to different rejection criteria. For example one flap may be operated for guiding an item into an on-reserve bin, whereas another item may be operated to guide an item into a return bin. Furthermore the system may be adapted to detect types of identification tag other than the RFID tag, such as a bar code or a magnetic strip or some combination of the different types of identification tag.

It should be appreciated that the same terminal may be used for accepting returned items. In this case the sequence of steps to be performed by the borrower is similar, including insertion of the borrower's card into the slot 3 and the possibility of

payment being required in the event of late return. In this case each returned item is caused to drop into the bin 12 (or optionally into an on-reserve bin where provided).

CLAIMS:

1. A library checking system for use with a plurality of borrowable items provided with identifying means, the system comprising a housing within which a borrowable
5 item is contained during checking, an identification unit for detecting the identifying means of the item while within the housing and for supplying a signal identifying the item to central processing means, an input to the housing through which the item is insertable for checking, an output from the housing through which the item is discharged to a pick-up area in the event of the item being passed by the central
10 processing means as available for borrowing, and a movable floor within the housing on which the item is supported during detection by the identification unit, the movable floor being movable to cause the item to drop into a secure receptacle in the event of the item not being passed by the central processing means as available for borrowing.
- 15 2. A system according to claim 1, wherein the movable floor comprises a flap which is pivoted downwardly from its support position to cause the item to drop into the receptacle.
3. A system according to claim 2, wherein an electrical actuator is provided for
20 pivoting the flap downwardly to cause the item to drop into the receptacle.
4. A system according to claim 1, 2 or 3, wherein the identification unit is adapted to detect radio frequency, bar code or magnetic strip identifying means or any combination of such identifying means on the items.
- 25 5. A system according to any preceding claim, wherein the input to the housing incorporates a sprung flap through which the item is insertable and behind which the spring flap closes when the item is in position on the movable floor for detection by the identification unit.
- 30 6. A system according to any preceding claim, wherein the output from the housing incorporates an output door which is movable between a closed position retaining the

item on the movable platform for detection by the identification unit and an open position when the item is passed by the central processing unit as available for borrowing.

5 7. A system according to claim 6, wherein the output door comprises a flap which is pivotable outwardly from its closed position to cause the item to be discharged to the pick-up area.

8. A system according to claim 7, wherein an electrical actuator is provided for
10 pivoting the flap outwardly to cause the item to be discharged to the pick-up area.

9. A system according to any preceding claim, wherein the movable floor is incorporated in an inclined surface such that the item is slidable down the inclined surface when it passes through the input and the output.

15

10. A system according to any preceding claim, wherein a closed chamber is provided for containing the receptacle for items not passed by the central processing means as available for borrowing.

20 11. A system according to claim 10, wherein the closed chamber is provided with a door which may be opened to enable the receptacle to be removed.

12. A system according to any preceding claim, wherein a verification unit adapted to accept a card, fingerprint or iris scan is provided for verifying the identity of a user
25 and for passing a verification signal to the central processing means.

13. A system according to any preceding claim, wherein a payment unit is provided for accepting payment from a user in the event that payment is required and for passing a payment signal to the central processing means.

30

14. A system according to any preceding claim, wherein an instruction display is provided for displaying instructions to the user on use of the system in response to instruction signals from the central processing means.
- 5 15. A system according to any preceding claim, wherein a printer unit is provided for issuing a receipt to the user in response to an instruction signal from the central processing means.
- 10 16. A system according to any preceding claim, wherein a security gate is provided which is openable to provide user access to the pick-up area for collection of the item without setting off a security gate alarm in response to an authorisation signal from the central processing means.
- 15 17. A library checking system substantially as hereinbefore described with reference to the accompanying drawings.

ABSTRACT

"Library Checking Systems"

A library checking system for use with books provided with RFID tags

5 comprises a terminal 1 incorporating a housing 15 within which a book is contained during checking, and an identification antenna 17 for detecting the RFID tag of the book while within the housing 15 and for supplying a signal identifying the book to a central processor. A book slot 2 through which the book is insertable for checking opens into the housing 15, and an output from the housing 15 is provided through which the book

10 is discharged to a pick-up area in the event of the book being passed by the central processor as available for borrowing. A pivotable bookdrop flap 14 is provided within the housing 15 on which the book is supported during detection by the identification antenna 17, the flap 14 being pivotable to cause the book to drop into a bookdrop bin 12 in the event of the book not being passed by the central processor as available for

15 borrowing. Such a system enables a book or other borrowable item to be automatically issued to a user when the item is passed by the central processor as being available for borrowing. In this case the user may collect the book from the pick-up area and can take the book out of the library without any manual checking system being required. In the event that the book is found not to be available for borrowing, for example because

20 the book has been reserved by another user or a payment is outstanding, the book is automatically passed to a secure receptacle, thus preventing the user from borrowing the book and enabling the book to be manually returned to the required library location in due course.

(Figure 1)

1/2




Fig. 1

2/2




Fig. 2

Document Filed By:

Young & Thompson

745 South 23rd Street

Arlington, Virginia 22202

Telephone 703/521-2297

SN 10/718, 657 Filed Nov. 29, 2003